

CURRICULUM VITAE



**PD Dr. med. habil Sebastian Karl Frees,
FEBU**

Geburtsdatum/-ort: 30. Oktober 1981

in Konstanz am Bodensee

Universitäre Bildung

10/2003 –05/2008

Studium der Humanmedizin an der Johannes Gutenberg-Universität
Mainz

- Ärztliche Vorprüfung am 24.03.2004
- Ärztliche Prüfung am 27.05.2008

Famulaturen /Praktika

06/2000

Praktikum im Schweizer Paraplegiker Zentrum in Nottwill, Schweiz

04/2003-09/2003

Pflegerische Tätigkeit in der Edith-Stein- Fachklinik, Bad Bergzabern

09/2004

Famulatur in der Inneren Medizin, Vinzentius Krankenhaus, Landau

03/2006

Famulatur in der Rehabilitationsmedizin, Rehaklinik Bellikon, Schweiz

08/2006-09/2006

Famulatur in der Notaufnahme, Hospital Central Chihuahua, Mexiko

Praktisches Jahr

02/2007-04/2007	1. Tertial: Chirurgie, Kantonales Spital Luzern, Standort Sursee, Schweiz
04/2007-06-2007	2. Tertial: Urologie, Städtisches Klinikum der Stadt Ludwigshafen
06/2007-10/2007	3. Tertial (1/2): Innere Medizin, McMaster University in Hamilton, Kanada
10/2007-01/2008	3. Tertial (2/2): Innere Medizin, Städtisches Klinikum der Stadt Ludwigshafen

Promotion

16.12.2008	“Die RNA des Tumorsuppressorgens PTEN im Nierenzellkarzinom” an der urologischen Klinik der Universitätsmedizin Mainz (Direktor: Prof. Dr. Joachim W. Thüroff) - (magna cum laude)
------------	--

Habilitation

18.04.2019	“Neues Aspekte des funktionellen und onkologischen Outcomes von Malignomen des Urogenitaltrakts (Direktor: Prof. Dr. Axel Haferkamp)
------------	--

Beruflicher Werdegang

07/2001-03/2002	Grundwehrdienst am Bundeswehrzentral Krankenhaus, Koblenz
Seit 12/2008	Assistenzarzt , Urologische Klinik und Poliklinik, Universitätsmedizin Mainz
26.02.2014	Anerkennung als Facharzt für Urologie (Ärztekammer Rheinhessen)
01.04.2014-01.08.2016	Post Doctoral Research Fellow im Rahmen eines DFG-Forschungsstipendiums am Vancouver Prostate Centre, Vancouver, Kanada (Prof Alan I. So); Beurlaubung von der Universitätsmedizin Mainz
03.06.2017	Fellow of the European Board of Urology
01.01.2019-31.12.2019	Oberarzt der Klinik und Poliklinik für Urologie und Kinderurologie Leiter der Uroonkologie (UCT) und Leiter der Studienambulanz
01.07.2019- 31.12.2020	Angestellter Facharzt bei BAG Dres. Neuhäuser und Jakobi, Urologische Gemeinschaftspraxis Mainz-Gonsenheim
Seit 01.01.2020	Teilhaber bei BAG Dr. Neuhäuser und PD Dr. Frees, Urologische Gemeinschaftspraxis Mainz-Gonsenheim
Seit 2024	Mitbegründer MoCa Health GmbH

Weiterbildungen

12.03.2009	Prüfarzt in klinischen Studien
16.09.2011	Fortbildung zum hygienebeauftragten Arzt
08.02.2012	Röntgenfachkunde „Niere und ableitende Harnwege“
08.11.2017	Zusatzbezeichnung „Medikamentöse Tumorthherapie“
18.06.2020	Zusatzbezeichnung „Psychosomatische Grundversorgung“

Klinische Forschung

Seit 12/2009

Prüfarzt:

1. MARC2 Studie (Therapie des met. Nierenzellkarzinoms mit Everolimus nach frustraner first-line Therapie mit VEGF-Rezeptorblockern)
2. VEG113387 PROTECT- Studie (Pazopanib als adjuvante Therapie bei Patienten mit lokalisiertem oder fortgeschrittenem Nierenzellkarzinom nach Nephrektomie.)
3. C21005 Studie (Orteronel (TAK 700) Plus Prednisone vs Placebo Plus Prednisone bei Patienten mit metastasiertem kastrationsresistentem Prostatakarzinom nach Doxetaceltherapie)
4. JASIMA-JAVLOR Studie (Maintenance Therapie mit Vinflunine nach first-line Therapie mit Gemcitabine /Cisplatin bei Patienten mit fortgeschrittenem Urothelkarzinom des Harntrakts)
5. TMX-101-001 Studie (Dosisescalationsstudie von intravesikalem TMX-101 bei Patienten mit nicht invasivem Blasen tumor)
6. EAS Alpharadin Studie – Phase 3 Studie zum Einsatz beim metastasierten Prostatakarzinom
7. ARAMIS Studie (Wirksamkeit und Sicherheit von BAY1841788 (ODM-201) in Männern mit Hochrisiko nicht-metastasiertem kastrationsresistentem Prostatakarzinom)

Wissenschaftliche Fördermittel:

1. Johannes Gutenberg-Universität Mainz (MAIFOR), 50.000 (EUR) Project: 2013-2014, Name des PI: Prof. Walburgis Brenner *Development of resistance towards tyrosine kinase inhibitors in regard to the tumor angiogenesis in renal cell carcinoma*
2. Canadian Urologic Oncologic Group (CUOG), \$10.000 (CAN) Project: 2014-2015, Name des PI: Prof. Alan I. So *The role of Reelin and Netrin-1 in the development of Sunitinib Resistance in Renal Cell Carcinoma*

Wissenschaftliche Preise

Prize Essay Competition Winner: “Basic Science”

71st Annual Meeting Canadian Urological Association 2016 Vancouver, Kanada:

Effect of contrast media on urinary cytopathology specimens

Frees S., Bidnur S., Metcalfe M., Raven P., Chavez-Munoz C., Moskalev I., Fazli L., So A.

Best Poster of the Session “Urological Malignancies II”

71st Annual Meeting Canadian Urological Association 2016 Vancouver, Kanada:

Second-generation antisense oligonucleotide - Hsp27 a new intravesical treatment for bladder cancer: Phase 1 clinical trial.

So A., **Frees S.**, Beraldi E., Chi K., Fazli L., Black P., Gleave M.

Best Poster of the Session “Basic Science”

71st Annual Meeting Canadian Urological Association 2016, Vancouver, Kanada:

Orthotopic xenograft mouse model for Sunitinib-resistant renal cell carcinoma

Frees S., Moskalev I., Zhou B., Raven P., Chavez-Munoz C., Black P., So A.

Best Poster of the Session “Hormone therapies in prostate cancer, less but better”

31st Annual Meeting of the European Association of Urology 2016, München

Timing of the development of metastasis and initiation of treatment are important prognostic factors in prostate cancer

Frees S., Akamatsu S., Lynch K., Chavez-Munoz C., Black P., Gleave M., Goldenberg L., Chi K., So A.

Best Abstract

112th Annual Meeting American Urological Association 2017, Boston, USA:

Are the Current Follow-up Guidelines after Treatment for Organ Confined Renal Cancer Sufficient?

Frees S., Kamal M., Nestler S., Bidnur S., Brenner W., Jäger W., Thomas C., Neisius A., Thüroff W., Roos F.

Best Poster of the Session “Improving recovery and reducing complication rate after urological surgery”

32nd Annual Meeting of the European Association of Urology 2017, London, G.B.:

A prospective randomized single-centre trial evaluating an ERAS protocol versus a standard protocol for patients treated with radical cystectomy and urinary diversion for bladder cancer

Frees S., Aning J., Black P., Struss W., Bell R., Gleave M., So A.

2. Platz Vortragspreis experimentell:

69. Kongress der Deutschen Gesellschaft für Urologie e.V. 2017, Dresden:

Der Calcium-sensing receptor (CaSR) induziert eine Knochenmetastasierung des Nierenzellkarzinoms

Frees S., Haber T., Moskalev I., Chavez-Munoz C., Breuksch I., Struss W., Gleave M., Thüroff J., Prawitt D., So A., Brenner W.

Publikationen

1. **RCC-Ma loss predicts poor survival and metastatic risk in clear cell renal cell carcinoma.**
Stenzel PJ, Tagscherer KE, Justenhoven C, Wild PJ, Haferkamp A, Macher-Goeppinger S, Roth W, **Frees S**, Porubsky S. *Pathol Res Pract*. 2025 May;269:155919. doi: 10.1016/j.prp.2025.155919. Epub 2025 Mar 19. PMID: 40121794
2. **Robotic-assisted vs. open ureteral reimplantation: a multicentre comparison.**
Ziewers S, Dotzauer R, Thomas A, Brandt MP, Haferkamp A, Frees S, Zugor V, Kajaia D, Labanaris A, Kouriefs C, Radu C, Radavoi D, Jinga V, Mirvald C, Sinescu I, Surcel C, Tsaur I. *World J Urol*. 2024 Mar 26;42(1):194. doi: 10.1007/s00345-024-04875-9. PMID: 38530438
3. **Impact of Blood Loss on Renal Function and Interaction with Ischemia Duration after Nephron-Sparing Surgery.**
Buse S, Mager R, Mazzone E, Mottrie A, **Frees S**, Haferkamp A. *Curr Oncol*. 2022 Dec 10;29(12):9760-9766. doi: 10.3390/currenol29120767. PMID: 36547181
4. **Expression of programmed death ligand-1 (PD-L1) in metastatic and postchemotherapy viable testicular germ cell tumors**
Al-Hogbani M, Duguay J, Wagner DC, Haferkamp A, Joubert P, **Frees S**, Rendon R, Power N, Périgny M, Toren P
Urol Oncol. 2021 Mar 5:S1078-1439(21)00075-2. doi: 10.1016/j.urolonc.2021.02.014. Online ahead of print. PMID: 33685799
5. **Global change of surgical and oncological clinical practice in urology during early COVID-19 pandemic.**
Dotzauer R, Böhm K, Brandt MP, Sparwasser P, Haack M, **Frees SK**, Kamal MM, Mager R, Jäger W, Höfner T, Tsaur I, Haferkamp A, Borgmann H.
World J Urol. 2020 Jul 4:1-7. doi: 10.1007/s00345-020-03333-6. Online ahead of print. PMID: 32623500
6. **Inhibition of GLI2 with antisense-oligonucleotides: A potential therapy for the treatment of bladder cancer.**
Raven PA, Lysakowski S, Tan Z, D'Costa NM, Moskalev I, **Frees S**, Struss W, Matsui Y, Narita S, Buttyan R, Chavez-Munoz C, So AI.
J Cell Physiol. 2019 Nov;234(11):20634-20647. doi: 10.1002/jcp.28669. Epub 2019 Apr 22.
7. **Development of a murine intravesical orthotopic human bladder cancer (mio-hBC) model.**
Raven PA, D'Costa NM, Moskalev I, Tan Z, **Frees S**, Chavez-Munoz C, So AI.
Am J Clin Exp Urol. 2018 Dec 20;6(6):245-259. eCollection 2018.
8. **Risk-adjusted proposal for >60 months follow up after surgical treatment of organ-confined renal cell carcinoma according to life expectancy.**
Frees SK, Kamal MM, Nestler S, Levien PM, Bidnur S, Brenner W, Thomas C, Jaeger W, Thüroff JW, Roos FC.
Int J Urol. 2019 Mar;26(3):385-390. doi: 10.1111/iju.13882. Epub 2018 Dec 26.
9. **Selective Inhibition of the Lactate Transporter MCT4 Reduces Growth of Invasive Bladder Cancer.**
Todenhöfer T, Seiler R, Stewart C, Moskalev I, Gao J, Ladhar S, Kamjabi A, Al Nakouzi N, Hayashi T, Choi S, Wang Y, **Frees S**, Daugaard M, Oo HZ, Fisel P, Schwab M, Schaeffeler E, Douglas J, Hennenlotter J, Bedke J, Gibb EA, Fazli L, Stenzl A, Black PC.
Mol Cancer Ther. 2018 Dec;17(12):2746-2755. doi: 10.1158/1535-7163.MCT-18-0107. Epub 2018 Sep 27.

10. **Docetaxel-rechallenge in castration-resistant prostate cancer: defining clinical factors for successful treatment response and improvement in overall survival.**
Thomas C, Brandt MP, Baldauf S, Tsaui I, **Frees S**, Borgmann H, Jäger W, Bartsch G, Schneider M, Dotzauer R, Neisius A, Haferkamp A.
Int Urol Nephrol. 2018 Oct;50(10):1821-1827. doi: 10.1007/s11255-018-1963-1. Epub 2018 Aug 17.
11. **In renal cell carcinoma the PTEN splice variant PTEN-Δ shows similar function as the tumor suppressor PTEN itself.**
Breuksch I, Welter J, Bauer HK, Enklaar T, **Frees S**, Thüroff JW, Hasenburg A, Prawitt D, Brenner W.
Cell Commun Signal. 2018 Jun 28;16(1):35. doi: 10.1186/s12964-018-0247-9.
12. **The role of netrin-1 in metastatic renal cell carcinoma treated with sunitinib.**
Frees S, Zhou B, Han KS, Tan Z, Raven P, Wong A, D'Costa N, Fazli L, Struss W, Moskalev I, Chavez-Munoz C, So A.
Oncotarget. 2018 Apr 27;9(32):22631-22641. doi: 10.18632/oncotarget.25201. eCollection 2018 Apr 27.
13. **Calcium-sensing receptor (CaSR) promotes development of bone metastasis in renal cell carcinoma**
Frees S, Breuksch I, Haber T, Bauer HK, Chavez-Munoz C, Raven P, Moskalev I, D'Costa N, Tan Z, Daugaard M, Thüroff JW, Haferkamp A, Prawit D, So A and Brenner W.
Oncotarget 2018 , <https://doi.org/10.18632/oncotarget.24607>
IF 2016: 5,008 - FB-Wert: B
14. **The impact of time to metastasis on overall survival in patients with prostate cancer**
Frees S, Akamatsu S, Bidnur S, Khalaf D, Chavez-Munoz C, Struss W, Eigl BJ, Gleave M, Chi KN, So A.
World J Urol. 2018 Feb 27. doi: 10.1007/s00345-018-2236-4. [Epub ahead of print] PMID: 29488095
IF 2016: 2,743 – FB-Wert: B
15. **Watchful waiting and active surveillance of small renal masses**
Mager R, **Frees S**, Haferkamp A.
Urologe A. 2018 Feb 27. doi: 10.1007/s00120-018-0584-8. [Epub ahead of print] Review. German. PMID:29487949
IF 2016: 0,289 – FB-Wert: C
16. **Standard surgery for small renal masses (<4cm)**
Frees SK, Mager R, Borgmann H, Jäger W, Thomas C, Haferkamp A.
Urologe A. 2018 Feb 21. doi: 10.1007/s00120-018-0583-9. [Epub ahead of print] Review. German. PMID: 29468282
IF 2016: 0,289 – FB-Wert: C
17. **Clinical outcomes and costs of reusable and single-use flexible ureterorenoscopes: a prospective cohort study**
Mager R, Kurosch M, Höfner T, **Frees S**, Haferkamp A, Neisius A.
Urolithiasis. 2018 Jan 22. doi: 10.1007/s00240-018-1042-1. [Epub ahead of print] PMID: 29356873
IF 2016: 1,816 – FB-Wert: C

18. **A prospective randomized pilot study evaluating an ERAS protocol versus a standard protocol for patients treated with radical cystectomy and urinary diversion for bladder cancer.**
Frees SK, Aning J, Black P, Struss W, Bell R, Chavez-Munoz C, Gleave M, So AI.
 World J Urol. 2017 Nov 7. doi: 10.1007/s00345-017-2109-2. [Epub ahead of print] PMID: 29116394
 IF 2016: 2,743 – FB-Wert: B

19. **Magnetically-actuated drug delivery device (MADDD) for minimally invasive treatment of prostate cancer: An in vivo animal pilot study.**
 Struss WJ, Tan Z, Zachkani P, Moskalev I, Jackson JK, Shademani A, D'Costa NM, Raven PA, **Frees S**, Chavez-Munoz C, Chiao M, So AI.
 Prostate. 2017 May;77(13):1356-1365. doi: 10.1002/pros.23395. Epub 2017 Aug 8. PMID: 28786159
 IF 2016: 3,820 – FB-Wert: A

20. **Targeting Lyn regulates Snail family shuttling and inhibits metastasis.**
 Thaper D, Vahid S, Nip KM, Moskalev I, Shan X, **Frees S**, Roberts ME, Ketola K, Harder KW, Gregory-Evans C, Bishop JL, Zoubeidi A.
 Oncogene. 2017 Jul 13;36(28):3964-3975. doi: 10.1038/onc.2017.5. Epub 2017 Mar 13. PMID: 28288135
 IF 2016: 7,519 – FB-Wert: A

21. **Bowel function in patients with urinary diversion: a gender-matched comparison of continent urinary diversion with the ileocecal pouch and ileal conduit.**
Frees S, Schenk AC, Rubenwolf P, Ziesel C, Jaeger W, Thüroff JW, Stein R.
 World J Urol. 2017 Jun;35(6):913-919. doi: 10.1007/s00345-016-1949-5. Epub 2016 Oct 12. PMID: 27734132
 IF 2016: 2,743 – FB-Wert: B

22. **Continent Anal Urinary Diversion in Classic Bladder Exstrophy: 45-Year Experience.**
 Rubenwolf PC, Hampel C, Roos F, Stein R, **Frees S**, Thüroff JW, Thomas C.
 Urology. 2017 Feb;100:249-254. doi: 10.1016/j.urology.2016.11.026. Epub 2016 Nov 24. PMID: 27890681
 IF 2016: 2,309 – FB-Wert: B

23. **Effect of contrast media on urinary cytopathology specimens.**
Frees S, Bidnur S, Metcalfe M, Raven P, Chavez-Munoz C, Moskalev I, Fazli L, So A.
 Can Urol Assoc J. 2016 Aug;10(7-8):228-233. PMID: 27878040

24. **Erectile function after treatment for rhabdomyosarcoma of prostate and bladder.**
Frees S, Rubenwolf P, Ziesel C, Faber J, Gutjahr P, Grossmann A, Thüroff JW, Stein R.
 J Pediatr Urol. 2016 Dec;12(6):404.e1-404.e6. doi: 10.1016/j.jpuro.2016.07.002. Epub 2016 Aug 1. PMID: 27570092
 IF 2016: 1,611 – FB-Wert: C

25. **Differences in Overall and Cancer-specific Survival of Patients Presenting With Chromophobe Versus Clear Cell Renal Cell Carcinoma: A Propensity Score Matched Analysis.**
Frees S, Kamal MM, Knoechlein L, Bell R, Ziesel C, Neisius A, Thomas C, Brenner W, Jäger W, Thüroff JW, Roos FC.
 Urology. 2016 Dec;98:81-87. doi: 10.1016/j.urology.2016.05.048. Epub 2016 Jun 1. PMID: 27262395
 IF 2016: 2,309 – FB-Wert: B

26. **R.E.N.A.L. Score Outperforms PADUA Score, C-Index and DAP Score for Outcome Prediction of Nephron Sparing Surgery in a Selected Cohort.**
Borgmann H, Reiss AK, Kurosch M, Filmann N, **Frees S**, Mager R, Tsaur I, Haferkamp A.
J Urol. 2016 Sep;196(3):664-71. doi: 10.1016/j.juro.2016.03.176. Epub 2016 Apr 14. PMID: 27091569
IF 2016: 5,157 – FB-Wert: A

27. **Cellular Adaptation to VEGF-Targeted Antiangiogenic Therapy Induces Evasive Resistance by Overproduction of Alternative Endothelial Cell Growth Factors in Renal Cell Carcinoma.**
Han KS, Raven PA, **Frees S**, Gust K, Fazli L, Ettinger S, Hong SJ, Kollmannsberger C, Gleave ME, So AI.
Neoplasia. 2015 Nov;17(11):805-16. doi: 10.1016/j.neo.2015.11.001.
IF 2015: 4,509 – FB-Wert: B

28. **Inhibition of endoplasmic reticulum chaperone protein glucose-regulated protein 78 potentiates anti-angiogenic therapy in renal cell carcinoma through inactivation of the PERK/eIF2 α pathway.**
Han KS, Li N, Raven PA, Fazli L, **Frees S**, Ettinger S, Park KC, Hong SJ, Gleave ME, So AI.
Oncotarget. 2015 Oct 27;6(33):34818-30.
IF 2016: 5,008 – FB-Wert: B

29. **Bone scintigraphy predicts bisphosphonate-induced osteonecrosis of the jaw (BRONJ) in patients with metastatic castration-resistant prostate cancer (mCRPC).**
Thomas C, Spanidis M, Engel C, Roos FC, **Frees S**, Neisius A, Hampel C, Rubenwolf P, Thüroff JW, Walter C, Miederer M.
Clin Oral Investig. 2016 May;20(4):753-8. doi: 10.1007/s00784-015-1563-8. Epub 2015 Aug 26.
IF 2016: 2,308 – FB-Wert: B

30. **Pubic symphysis after transurethral resection of the prostate.**
Ziesel C, **Frees S**, Thomas C, Stein R, Gillitzer R, Thüroff JW.
World J Urol. 2016 Feb;34(2):275-80. doi: 10.1007/s00345-015-1614-4. Epub 2015 Jun 13.
IF 2016: 2,743 – FB-Wert: B

31. **Radical surgery and different types of urinary diversion in patients with rhabdomyosarcoma of bladder or prostate - A single institution experience.**
Stein R, **Frees S**, Schröder A, Russo A, Gutjahr P, Faber J, Thüroff JW.
J Pediatr Urol. 2013 Feb 2.
IF 2013: 1,413 – FB-Wert: C

32. **Rs11892031[A] on chromosome 2q37 in an intronic region of the UGT1A locus is associated with urinary bladder cancer risk.**
Selinski S, Lehmann ML, Blaszkewicz M, Ovsianikov D, Moormann O, Guballa C, Kress A, Truss MC, Gerullis H, Otto T, Barski D, Niegisch G, Albers P, **Frees S**, Brenner W, Thüroff JW, Angeli-Greaves M, Seidel T, Roth G, Volkert F, Ebbinghaus R, Prager HM, Bolt HM, Falkenstein M, Zimmermann A, Klein T, Reckwitz T, Roemer HC, Hartel M, Weistenhöfer W, Schöps W, Rizvi SA, Aslam M, Bánfi G, Romics I, Ickstadt K, Hengstler JG, Golka K.
Arch Toxicol. 2012 Sep;86(9):1369-78. Epub 2012 Apr 25.
IF 2012: 5,215 – FB-Wert: A

33. **[Metabolic long-term complications after urinary diversion].**
Stein R, Ziesel C, **Frees S**, Thüroff JW.
Urologe A. 2012 Apr;51(4):507-9, 512-4. German.

34. **[Therapeutic options for primary vesicoureteral reflux: endoscopic vs open surgical approach].**
Ziesel C, **Frees S**, Thüroff JW, Stein R.
Urologe A. 2012 Mar;51(3):352-6. Review. German.
IF 2012: 0,456 – FB-Wert: C
35. **Urinary bladder cancer risk in relation to a single nucleotide polymorphism (rs2854744) in the insulin-like growth factor-binding protein-3 (IGFBP3) gene.**
Selinski S, Lehmann ML, Blaszkewicz M, Ovsianikov D, Moormann O, Guballa C, Kress A, Truß MC, Gerullis H, Otto T, Barski D, Niegisch G, Albers P, **Frees S**, Brenner W, Thüroff JW, Angeli-Greaves M, Seidel T, Roth G, Volkert F, Ebbinghaus R, Prager HM, Lukas C, Bolt HM, Falkenstein M, Zimmermann A, Klein T, Reckwitz T, Roemer HC, Hartel M, Weistenhöfer W, Schöps W, Rizvi SA, Aslam M, Bánfi G, Romics I, Ickstadt K, Hengstler JG, Golka K.
Arch Toxicol. 2012 Feb;86(2):195-203. Epub 2011 Sep 3.
IF 2012: 5,215 – FB-Wert: A
36. **Genotyping NAT2 with only two SNPs (rs1041983 and rs1801280) outperforms the tagging SNP rs1495741 and is equivalent to the conventional 7-SNP NAT2 genotype.**
Selinski S, Blaszkewicz M, Lehmann ML, Ovsianikov D, Moormann O, Guballa C, Kress A, Truss MC, Gerullis H, Otto T, Barski D, Niegisch G, Albers P, **Frees S**, Brenner W, Thüroff JW, Angeli-Greaves M, Seidel T, Roth G, Dietrich H, Ebbinghaus R, Prager HM, Bolt HM, Falkenstein M, Zimmermann A, Klein T, Reckwitz T, Roemer HC, Löhlein D, Weistenhöfer W, Schöps W, Hassan Rizvi SA, Aslam M, Bánfi G, Romics I, Steffens M, Ekici AB, Winterpacht A, Ickstadt K, Schwender H, Hengstler JG, Golka K.
Pharmacogenet Genomics. 2011 Oct;21(10):673-8.
IF 2011: 3,485 – FB-Wert: B
37. **Rs710521[A] on chromosome 3q28 close to TP63 is associated with increased urinary bladder cancer risk.**
Lehmann ML, Selinski S, Blaszkewicz M, Orlich M, Ovsianikov D, Moormann O, Guballa C, Kress A, Truss MC, Gerullis H, Otto T, Barski D, Niegisch G, Albers P, **Frees S**, Brenner W, Thüroff JW, Angeli-Greaves M, Seidel T, Roth G, Dietrich H, Ebbinghaus R, Prager HM, Bolt HM, Falkenstein M, Zimmermann A, Klein T, Reckwitz T, Roemer HC, Löhlein D, Weistenhöfer W, Schöps W, Beg AE, Aslam M, Bánfi G, Romics I, Ickstadt K, Schwender H, Winterpacht A, Hengstler JG, Golka K.
Arch Toxicol. 2010 Dec; 84(12):967-78. Epub 2010 Nov 10.
IF 2010: 4,041 – FB-Wert: A